



HARVARD  
UNIVERSITY

**FAS RC**

FAS Research Computing  
Division of Science  
<https://rc.fas.harvard.edu>



# Installing and Using Software on FASRC Clusters

Harvard - FAS Research Computing

# Overview

- Software modules (Lmod, HeLmod)
- Installing Python and R packages
- Using precompiled (numeric, I/O, etc) software libraries
- Singularity basics
- Installing software yourself
  - Spack
- Open OnDemand (GUI apps, such as MATLAB, RStudio Server, Jupyter Notebook, Remote Desktop, and more)

# HeLmod: software modules

Compilers: gcc, Intel

CUDA and cuDNN

MPI Libraries: OpenMPI, Mpich, IntelMPI

Basic numerical and I/O libraries (e.g., gsl, HDF5, NetCDF)

Common software packages (e.g., Python/Mamba, R, PyCharm, vscode, etc., but customization will be left to the user through spack)

Commercial software (e.g., MATLAB, Mathematica, IDL, Stata, SAS)

# Software Modules

## ■ Software modules basics

```
module load gcc/12.2.0-fasrc01          # Load Compiler
module load openmpi/4.1.4-fasrc01       # Load MPI library
module load netcdf-c/4.9.2-fasrc01       # Load NetCDF Library

module list                            # List loaded modules
module purge                           # Unload all modules
module display netcdf-c/4.7.3-fasrc05 # Display module environment

module avail                           # Show ALL available modules in the MODULEPATH
module avail netcdf-c                 # Show available netcdf-c modules
```

## ■ Finding modules

```
module spider openmpi                  # Find available OpenMPI modules
module spider openmpi/4.1.4-fasrc01    # List more information including how to load it
```

# Modules: How do they work? (1)

```
[pkrastev@holy7c24103 ~]$ module load gcc/12.2.0-fasrc01
[pkrastev@holy7c24103 ~]$ which gcc
/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/bin/gcc
[pkrastev@holy7c24103 ~]$ gcc --version
gcc (GCC) 12.2.0
```

```
# System Python3
[paulasan@holy7c24101 ~]$ module list
No modules loaded
[paulasan@holy7c24101 ~]$ python3 --version
Python 3.6.8
[paulasan@holy7c24101 ~]$ which python3
/usr/bin/python3
```

```
# Module Python3
[paulasan@holy7c24101 ~]$ module load python/3.10.9-fasrc01
[paulasan@holy7c24101 ~]$ python3 --version
Python 3.10.9
[paulasan@holy7c24101 ~]$ which python3
/n/sw/Mambaforge-22.11.1-4/bin/python3
```

# Modules: How do they work? (2)

```
[pkrastev@holly7c24103 ~]$ module display gcc/12.2.0-fasrc01
...
/n/sw/helmod-rocky8/modulefiles/Core/gcc/12.2.0-fasrc01.lua:
...
whatis("Name: gcc")
whatis("Version: 12.2.0-fasrc01")
whatis("Description: the GNU Compiler Collection")
setenv("CC","gcc")
setenv("CXX","g++")
setenv("FC","gfortran")
setenv("F77","gfortran")
setenv("GCC_HOME","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01")
setenv("GCC_LIB","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64")
setenv("GCC_INCLUDE","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/include")
prepend_path("PATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/bin")
prepend_path("CPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64/gcc/x86_64-pc-linux-gnu/12.2.0/include")
prepend_path("CPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64/gcc/x86_64-pc-linux-gnu/12.2.0/install-tools/include")
prepend_path("CPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64/gcc/x86_64-pc-linux-gnu/12.2.0/plugin/include")
prepend_path("CPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/include")
prepend_path("FPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64/gcc/x86_64-pc-linux-gnu/12.2.0/include")
prepend_path("FPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64/gcc/x86_64-pc-linux-gnu/12.2.0/install-tools/include")
prepend_path("FPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64/gcc/x86_64-pc-linux-gnu/12.2.0/plugin/include")
prepend_path("FPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/include")
prepend_path("INFOPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/share/info")
prepend_path("LD_LIBRARY_PATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib")
prepend_path("LIBRARY_PATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib")
prepend_path("LD_LIBRARY_PATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64")
prepend_path("LIBRARY_PATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/lib64")
prepend_path("MANPATH","/n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/share/man")
prepend_path("MODULEPATH","/n/sw/helmod-rocky8/modulefiles/Comp/gcc/12.2.0-fasrc01")
setenv("FASRCSW_COMP_NAME","gcc")
setenv("FASRCSW_COMP_VERSION","12.2.0")
setenv("FASRCSW_COMP_RELEASE","fasrc01")
family("Comp")
```

# Modules: Hierarchies (1)

Module grouping is important for proper software stack of scientific applications

- Applications built with specific compiler flavor/version need to be linked with libraries compiled with the same compiler flavor and version
- **Message Passing Interface (MPI)** library allows for communication between tasks on a distributed memory computers with many processors
- **Parallel applications and libraries must be built with a matching MPI library and compiler**

Instead of using a flat namespace, we can use module hierarchies:

- Simple technique because once users chose a compiler and MPI implementation, they can only load modules that match that compiler and MPI implementation
- FASRC follow's TACC's convention:

```
# MODULEPATH_ROOT= /n/sw/helmod-rocky8/modulefiles
$ {MODULEPATH_ROOT} / {Core, Comp, MPI}
```

# Modules: Hierarchies (2)

```
[pkraстав@holly7c24103 ~]$ module spider hdf5/1.14.0-fasrc01
```

---

```
-----  
 hdf5: hdf5/1.14.0-fasrc01
```

---

Description:

HDF5 is a data model, library, and file format for storing and managing data.

You will need to load all module(s) on any one of the lines below before the "hdf5/1.14.0-fasrc01" module is available to load.

```
gcc/12.2.0-fasrc01 mpich/4.1-fasrc01  
gcc/12.2.0-fasrc01 openmpi/4.1.4-fasrc01  
intel/23.0.0-fasrc01 mpich/4.1-fasrc01  
intel/23.0.0-fasrc01 openmpi/4.1.4-fasrc01
```

Help:

```
hdf5-1.14.0-fasrc01  
HDF5 is a data model, library, and file format for storing and managing data.
```

```
[pkraстав@holly7c24103 ~]$ module load gcc/12.2.0-fasrc01 openmpi/4.1.4-fasrc01 hdf5/1.14.0-fasrc01
```

# Python Programs (1)

## Python 3

```
[pkrastev@holy7c24103 ~]$ module load python/3.10.9-fasrc01
[pkrastev@holy7c24103 ~]$ module list
```

Currently Loaded Modules:

1) Mambaforge/22.11.1-fasrc01 2) python/3.10.9-fasrc01

**Python 3 recommendation:** mamba > conda > pip

Mamba is fast, robust, and cross-platform package manager

Conda uses too many small files which slows down installation and use

Pip may install in different directories causing package dependencies to break

## Python 2

```
[pkrastev@holy7c24103 ~]$ module load python/2.7.16-fasrc01
[pkrastev@holy7c24103 ~]$ module list
```

Currently Loaded Modules:

1) Anaconda2/2019.10-fasrc01 2) python/2.7.16-fasrc01

# Python Programs (2)

- Mamba is a tool to manage conda environments
- Mamba uses the same commands and configuration options as conda
- You can swap almost all commands between conda & mamba
- <https://docs.rc.fas.harvard.edu/kb/python/>
- [https://github.com/fasrc/User\\_Codes/blob/master/Languages/Python/Mamba.md](https://github.com/fasrc/User_Codes/blob/master/Languages/Python/Mamba.md)

```
# Load a Python module
module load python/3.10.9-fasrc01
# Create local conda environment in ~/.conda/envs/ENV_NAME
mamba create -n ENV_NAME PACKAGE_LIST
# Use the new environment
mamba activate ENV_NAME
# Install a new package named MY_PACKAGE
mamba install MY_PACKAGE
# If the package is not available with conda/mamba use pip
pip install MY_PACKAGE
# If you have problems updating a package first remove it
mamba uninstall MY_PACKAGE
# Deactivate the environment
mamba deactivate
```

# Python Programs (3)

For optimal performance it is recommended to use the `--prefix` option to create / relocate your conda environments to your LAB space, e.g.,

```
/n/holylabs/LABS/<PI_LAB>/Lab
```

```
/n/holylabs/LABS/<PI_LAB>/Users/${USER}
```

```
# Load a Python module, e.g.,
module load python/3.10.9-fasrc01
```

```
# Create a conda environment in LAB space, e.g.,
mamba install -y --prefix=/n/holylabs/LABS/<PI_LAB>/Lab/conda/<ENV_NAME> PACKAGE_LIST
```

```
# Activate the conda environment
mamba activate /n/holylabs/LABS/<PI_LAB>/Lab/conda/<ENV_NAME>
```

# R Programs

- When loading R from the LMOD module system, only basic R packages are loaded in your environment
- **Optional:** Set `R_LIBS_USER` environment variable to specify location of R package installations  
Default location is `$HOME/R/x86_64-pc-linux-gnu-library/<Rversion>`
- <https://docs.rc.fas.harvard.edu/kb/r-packages/>
- For R packages that require additional software installs (`glmnet`, `sf`, `raster`, etc.): R packages with Spack

```
# Load R module, e.g.,  
module load R/4.2.2-fasrc01  
  
# (Optional) Set R_LIBS_USER to your location for R packages, e.g.,  
export R_LIBS_USER=$HOME/apps/R:$R_LIBS_USER  
  
# Start R  
R  
  
# Inside R shell, install the desired package, e.g.,  
> install.packages("data.table")
```

# Singularity (1) - Basics

Singularity provides a container runtime and an ecosystem for managing images that is suitable for multi-tenant systems and HPC environments.

## Important aspects:

- Each application will have its own container
- Containers are not fully isolated (e.g., host network is available)
- Users have the same *uid* and *gid* when running an application
- You can build containers from:
  - from existing container in *SingularityCE* container library
  - from existing container in Docker Hub,
  - from *SingularityCE* definition file on *Sylabs* cloud
  - **NEW:** from *SingularityCE* definition file and proot directly on Cannon

[https://github.com/fasrc/User\\_Codes/tree/master/Singularity\\_Containers](https://github.com/fasrc/User_Codes/tree/master/Singularity_Containers)

# Singularity (2) – Pulling from repositories

## Examples

- **Preparation (start an interactive session and cd to \$SCRATCH directory):**

```
[jharvard@holylgo03 ~]$ salloc -p gpu_test --gres=gpu:1 --mem=4G -N 1 -t 60
[jharvard@holygpu2c0709 ~]$ cd $SCRATCH/your_lab/your_user/
```

- **Pulling from Docker:**

```
[jharvard@holygpu2c0709 jharvard]$ singularity pull docker://tensorflow/tensorflow:latest
```

- **Pulling from sylab / library -- <https://cloud.sylabs.io/library>**

```
[jharvard@holygpu2c0709 jharvard]$ singularity pull library://library/default/ubuntu:21.04
```

- **Pulling from NVIDIA's NGC registry - <https://catalog.ngc.nvidia.com>**

```
[jharvard@holygpu2c0709 jharvard]$ singularity pull docker://nvcr.io/nvidia/tensorflow:23.02-tf2-py3
[jharvard@holygpu2c0709 jharvard]$ singularity exec tensorflow_23.02-tf2-py3.sif python
Python 3.8.10 (default, Nov 14 2022, 12:59:47)
[GCC 9.4.0] on linux
```

Type "help", "copyright", "credits" or "license" for more information.

```
>>> import tensorflow as tf
>>> print(tf.__version__)
2.11.0
```

# Singularity (3) – TensorFlow example

```
# --- Start an interactive session on a partition with GPUs, e.g.,  
[jharvard@holylgoing03 ~]$ salloc -p gpu_test --gres=gpu:1 --mem=4G -N 1 -t 60  
  
# --- cd to your SCRATCH folder (e.g., jharvard) ---  
[jharvard@holylgoing03 ~]$ cd $SCRATCH/jharvard_lab/Users/jharvard  
  
# --- Pull the latest TF GPU version from the Docker registry ---  
[jharvard@holylgoing03 ~]$ singularity pull --name tf2.13_gpu.sif docker://tensorflow/tensorflow:2.13.0-gpu  
  
# --- Get examples from keras.io ---  
[jharvard@holylgoing03 ~]$ git clone https://github.com/keras-team/keras-io.git  
  
# --- Execute the code ---  
[jharvard@holylgoing03 ~]$ singularity exec --nv tf2.13_gpu.sif python ./keras-  
io/examples/vision/mnist_convnet.py  
... (omitted output)  
Test loss: 0.024948162958025932  
Test accuracy: 0.9915000200271606
```

# Singularity (5) – Building images on Cannon

Building Singularity images from *SingularityCE* definition file and proot directly on Cannon

```
# Make ~/bin directory
[jharvard@holyc02302 ~]$ mkdir -p ~/bin

# Change to ~/bin directory, download proot, and change permissions to make it executable
[jharvard@holyc02302 ~]$ cd ~/bin
[jharvard@holyc02302 bin]$ curl -LO https://proot.gitlab.io/proot/bin/proot
[jharvard@holyc02302 bin]$ chmod +x ./proot

# Obtain, or create a singularity definition (def) file and build the image, e.g.,
[jharvard@holyc02302 ~]$ singularity build tf-2.12.sif tf-2.12.def
INFO: Using proot to build unprivileged. Not all builds are supported. If build fails, use --remote or --fakeroot.
INFO: Starting build...
(omitted output)
INFO: Creating SIF file...
INFO: Build complete: tf-2.12.sif
```

[https://github.com/fasrc/User\\_Codes/tree/master/Singularity\\_Containers#build-a-singularityce-container-from-a-singularity-definition-file](https://github.com/fasrc/User_Codes/tree/master/Singularity_Containers#build-a-singularityce-container-from-a-singularity-definition-file)

# Singularity (6) – Building images on Cannon

Example *SingularityCE* def file: **tf-2.12.def**

```
Bootstrap: docker
From: tensorflow/tensorflow:2.12.0-gpu

%post
    pip install --upgrade pip
    pip install matplotlib
    pip install seaborn
    pip install scipy
    pip install scikit-learn
    pip install jupyterlab
    pip install notebook
```

[https://github.com/fasrc/User\\_Codes/blob/master/AI/TensorFlow/tf-2.12.def](https://github.com/fasrc/User_Codes/blob/master/AI/TensorFlow/tf-2.12.def)

# Installing Software: Spack

## One-time setup

Clone Spack repo in your lab storage (better performance than \$HOME directory)

Source spack

Install packages with Spack - some software can take a few hours to build

## Job submission

Source spack

Load packages/software with Spack

Run code

[https://github.com/fasrc/User\\_Codes/blob/master/Documents/Software/Spack.md](https://github.com/fasrc/User_Codes/blob/master/Documents/Software/Spack.md)

# Spack (1)

## One-time setup

```
# Request interactive job
[jharvard@boslogin01 ~]$ salloc -p test --mem 12g -t 0-04:00 -c 8

# Use lab storage
[jharvard@holy7c12104 ~]$ cd /n/holylabs/LABS/jharvard_lab/Lab/software/

# Clone spack and check out specific release
[jharvard@holy7c12104 software]$ git clone -c feature.manyFiles=true https://github.com/spack/spack.git
[jharvard@holy7c12104 software]$ cd spack/

# Source spack
[jharvard@holy7c12104 spack]$ . share/spack/setup-env.sh

# Install packages
[jharvard@holy7c12104 spack]$ spack install bzip2                      # Install default/latest version
[jharvard@holy7c12104 spack]$ spack install bzip2@1.0.8                 # Specify version
[jharvard@holy7c12104 spack]$ spack install zlib@1.2.13%gcc@8.5.0      # Specify version and compiler
```

# Spack (2)

## One-time setup

```
# List installed packages
$ spack find

# Uninstall packages, e.g.,
$ spack uninstall zlib@1.2.13%gcc@8.5.0

# Load spack packages
$ spack load bzip2
$ which bzip2
/home/spack/opt/spack/linux-rocky8-icelake/gcc-8.5.0/bzip2-1.0.8-aohgpu7zn62kzpanpohuevbkufypbnff/bin/bzip2

# List the loaded packages
$ spack find --loaded
-- linux-rocky8-icelake / gcc@8.5.0 -----
bzip2@1.0.8  diffutils@3.8  libiconv@1.16
==> 3 loaded packages

# Unload spack packages
$ spack unload
$ spack find --loaded
==> 0 loaded packages
```

# Spack (3)

## Group Permissions

By default Spack will match your usual file permissions which typically are set up without group write permission. For lab wide installs of Spack though you will want to ensure that it has group write enforced. You can set this by going to the `etc/spack` directory in your Spack installation and adding a file called `packages.yaml` (or editing the exiting one) with the following contents:

```
packages:  
  all:  
    permissions:  
      write: group  
      group: jharvard_lab
```

[https://spack.readthedocs.io/en/latest/build\\_settings.html#package-permissions](https://spack.readthedocs.io/en/latest/build_settings.html#package-permissions)

# Spack (4)

## Default Architecture

By default Spack will autodetect which architecture your underlying hardware is and build software to match that. However in cases where you are running on heterogeneous hardware it is best to use a more generic flag. You can set this by going to the `etc/spack` directory in your Spack installation and adding a file called `packages.yaml` (or editing the exiting one) with the following contents:

```
packages:  
  all:  
    target: [x86_64]
```

[https://spack.readthedocs.io/en/latest/build\\_settings.html#package-preferences](https://spack.readthedocs.io/en/latest/build_settings.html#package-preferences)

# Spack (5)

## Compiler Configuration

```
# List available compilers
$ spack compilers
==> Available compilers
-- gcc rocky8-x86_64 -----
gcc@8.5.0

# Load the required compiler software module, e.g.,
$ module load gcc/12.2.0-fasrc01

# Add this GCC compiler version to the spack compilers
$ spack compiler find
==> Added 1 new compiler to ~/.spack/linux/compilers.yaml
    gcc@12.2.0
==> Compilers are defined in the following files:
    ~/.spack/linux/compilers.yaml

$ spack compilers
==> Available compilers
-- gcc rocky8-x86_64 -----
gcc@12.2.0  gcc@8.5.0
```

# Spack (6)

## Compiler Configuration

Modify `~/.spack/linux/compilers.yaml` to read:

```
- compiler:
  spec: gcc@12.2.0
  paths:
    cc: /n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/bin/gcc
    cxx: /n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/bin/g++
    f77: /n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/bin/gfortran
    fc: /n/sw/helmod-rocky8/apps/Core/gcc/12.2.0-fasrc01/bin/gfortran
  flags: {}
  operating_system: rocky8
  target: x86_64
modules: [gcc/12.2.0-fasrc01]
  environment: {}
  extra_rpaths: []
```

# Spack (7)

## MPI Configuration

```
# Determine the MPI location / prefix
$ module load gcc/12.2.0-fasrc01 openmpi/4.1.4-fasrc01
$ echo $MPI_HOME
/n/sw/helmod-rocky8/apps/Comp/gcc/12.2.0-fasrc01/openmpi/4.1.4-fasrc01

# Edit manually the packages configuration file ~/.spack/packages.yaml
# Include the following content:
packages:
    openmpi:
        externals:
            - spec: openmpi@4.1.4%gcc@12.2.0
              prefix: /n/sw/helmod-rocky8/apps/Comp/gcc/12.2.0-fasrc01/openmpi/4.1.4-fasrc01
        buildable: False

# Example: Build HDF5 version 1.12.2 with gcc@12.2.0 and openmpi@4.1.4
$ module purge
$ spack install hdf5@1.12.2 % gcc@12.2.0 ^ openmpi@4.1.4
```

[https://github.com/fasrc/User\\_Codes/blob/master/Documents/Software/Spack.md#mpi-configuration](https://github.com/fasrc/User_Codes/blob/master/Documents/Software/Spack.md#mpi-configuration)

# Installing R packages with Spack

```
# request interactive job
[jharvard@rockylogin ~]$ salloc -p test --mem 16g -t 0-04:00 -c 8

# use lab storage
[jharvard@holy7c12104 ~]$ cd /n/holylabs/LABS/jharvard_lab/Lab/software/spack

# source spack
[jharvard@holy7c12104 spack]$ . share/spack/setup-env.sh

# install R packages with spack
[jharvard@holy2c02302 spack]$ spack install r-rgdal

# load spack packages
[jharvard@holy2c02302 spack]$ spack load r-rgdal

# launch R and load libraries
[jharvard@holy2c02302 spack]$ R
> library(rgdal)
```

[https://github.com/fasrc/User\\_Codes/blob/master/Languages/R/R\\_packages\\_with\\_spack.md](https://github.com/fasrc/User_Codes/blob/master/Languages/R/R_packages_with_spack.md)

# SLURM jobs with Spack

```
#!/bin/bash
#SBATCH -J r_spack
#SBATCH -c 1
#SBATCH -t 0-00:10
#SBATCH -p test
#SBATCH --mem=4g
#SBATCH -o myoutput_%j.out
#SBATCH -e myerrors_%j.err

# source spack
. /n/holylabs/LABS/jharvard_lab/Users/jharvard/spack/share/spack/setup-env.sh

# load spack packages
spack load r-codetools
spack load r-rgdal
spack load r-raster
spack load r-terra

# run R code
Rscript --vanilla r_spack_load_libs.R > r_spack_load_libs.Rout
```

# RC Open OnDemand (former VDI) Portal

- Interactive computing portal
  - Cannon: <https://rcood.rc.fas.harvard.edu/>
  - FASSE: <https://fasseood.rc.fas.harvard.edu/>
- Access the cluster using a graphical user interface (GUI)
- Need to be on RC VPN
- Available apps
  - Remote Desktop – see "[How to open software](#)" from Remote Desktop
  - RStudio Server
  - Jupyter Notebook
  - MATLAB
  - SAS
  - Stata
  - and more
- Check our [training calendar](#) for Open OnDemand training!

# Request Help - Resources

- Documentation: <https://docs.rc.fas.harvard.edu/kb/support/>
- Tickets
  - Portal
    - [http://portal.rc.fas.harvard.edu/rcrt/submit\\_ticket](http://portal.rc.fas.harvard.edu/rcrt/submit_ticket)
  - Email
    - [rchelp@rc.fas.harvard.edu](mailto:rchelp@rc.fas.harvard.edu)
- Office Hours
  - Wednesday noon-3pm <https://harvard.zoom.us/j/255102481>
- Consulting Calendar
  - <https://www.rc.fas.harvard.edu/consulting-calendar/>
- Training Calendar
  - <https://www.rc.fas.harvard.edu/upcoming-training/>



**Thank you! Questions? Comments?**

**Harvard - FAS Research Computing**

# Introduction: Why move to Rocky 8?

- CentOS 7: non-commercial version of RedHat's Enterprise Linux (RHEL)
- CentOS is being discontinued by RedHat
- New development ceased at the end of 2021
  - potential security vulnerabilities
  - incompatibility with new software
- Rocky 8 Linux
  - created by original CentOS developers
  - good portion of HPC community is also adopting it => more community support

<https://www.rc.fas.harvard.edu/blog/2023-downtime/>

# Introduction: Software changes

- Most software built on CentOS 7 will not work
- Rocky 8 software:
  - Helmod (modules): only compilers, basic libraries, and few software packages
  - Spack for most software installs
  - Singularity
  - Python
  - R with Spack
- Legacy CentOS 7 support
  - Singularity container with full compute node environment and CentOS 7 modules
  - CentOS 7 will not be maintained for the compute environment
  - Slurm support for CentOS 7 will be dropped with the next major Slurm upgrade (Sept 5th)

# LMOD Module System

## LMOD: ENVIRONMENTAL MODULES SYSTEM

<https://www.tacc.utexas.edu/research-development/tacc-projects/lmod>

- Environment Modules provide a convenient way to dynamically modify the user's environment through module files (Lua-based scripting files)
- Software module files define various environment variables, such as PATH, LD\_LIBRARY\_PATH, LIBRARY\_PATH, CPATH, FPATH, etc., so that executables, header files and required libraries can be found by the specific software application
- Software can be “loaded” and “unloaded” dynamically
- Hierarchies (incremental module loading/unloading) prevent software conflicts
- Various software versions can coexist
- Harvard modified LMOD software modules system: HeLMOD (Harvard Extensions for Lmod deployment) -  
<https://github.com/fasrc/helmod>

# Using Software Libraries (1)

- Software libraries allow you to use precompiled functions and routines in your applications.
- Many are already installed on the cluster, e.g., GSL, NetCDF, HDF5, FFTW, MKL, etc., and are available as software modules.
- Software libraries could also be a part of the OS and are typically located in `/lib` and `/lib64`
- Linking to specific libraries can be done by setting `-l` and `-L` flags, e.g.,

```
# Load required software modules, e.g.,
module load gsl/2.7-fasrc01
```

```
# Compile and link the application, e.g.,
gcc -o gsl_int_test.x gsl_int_test.c -O2 -lm -lgsl -lgslcblas
```

[https://github.com/fasrc/User\\_Codes/tree/master/Libraries/GSL](https://github.com/fasrc/User_Codes/tree/master/Libraries/GSL)

# Using Software Libraries (2)

```
#=====
# Make file for gsl_int_test.c
#=====

CFLAGS    = -c -O2
COMPILER  = gcc
PRO       = gsl_int_test
OBJECTS   = gsl_int_test.o

LINK_GSL = -lm -lgsl -lgslcblas

${PRO}.x : ${OBJECTS}
        ${COMPILER} -o ${PRO}.x ${OBJECTS} ${LINK_GSL}


%.o : %.c
        ${COMPILER} ${CFLAGS} ${<F}

clean :
        rm -rf *.o *.x *.mod
```

[https://github.com/fasrc/User\\_Codes/tree/master/Libraries/GSL](https://github.com/fasrc/User_Codes/tree/master/Libraries/GSL)

# Julia

```
# Use lab storage, e.g.,  
[jharvard@holy7c12104 ~]$ cd /n/holylabs/LABS/jharvard_lab/Users/jharvard/software/  
  
# Download julia and extract  
[jharvard@holy7c12104 software]$ wget \  
https://julialang-s3.julialang.org/bin/linux/x64/1.9/julia-1.9.1-linux-x86_64.tar.gz  
[jharvard@holy7c12104 software]$ tar xvfz julia-1.9.1-linux-x86_64.tar.gz  
  
# Add julia to path  
[jharvard@holy7c12104 julia-1.9.1]$ export PATH=$PATH:/n/holylabs/LABS/jharvard_lab/Users/jharvard/software/julia-1.9.1/bin  
  
[jharvard@holy7c12104 julia-1.9.1]$ julia
```



```
| Documentation: https://docs.julialang.org  
| Type "?" for help, "]??" for Pkg help.  
| Version 1.9.1 (2023-06-07)  
| Official https://julialang.org/ release
```

julia>

# Singularity (2)

## Running TensorFlow on a CPU node:

```
# --- Start an interactive session ---
[login-node] $ salloc -p test --mem=4G -N 1 -t 60
# --- cd to your SCRATCH folder ---
[compute-node]$ cd $SCRATCH/your_lab/your_user/
# --- Pull the latest TF version from the Docker registry ---
[compute-node]$ singularity pull --name tf2.12_cpu.simg docker://tensorflow/tensorflow:2.12.0
# --- Launch Python and print the TF version ---
[compute-node]$ singularity exec tf2.12_cpu.simg python
... (omitted output)
>>> import tensorflow as tf
>>> print(tf.__version__)
2.12.0
# --- Get examples from keras.io ---
[compute-node]$ git clone https://github.com/keras-team/keras-io.git
# --- Execute the code ---
[compute-node]$ singularity exec tf2.12_cpu.simg python ./keras-io/examples/vision/mnist_convnet.py
... (omitted output)
Test loss: 0.026334384456276894
Test accuracy: 0.9904999732971191
```

# Legacy CentOS 7 Support

## Last resort option

Singularity image with CentOS 7

- same environment of compute nodes
- can load CentOS 7 modules
- cannot submit jobs inside the container
- can modify CentOS 7 image by building a new container based on CentOS 7 image

```
$ singularity exec /n/singularity_images/FAS/centos7/compute-el7-noslurm-2023-03-29.sif /bin/bash
Singularity> module load gcc
Singularity> module load matlab
Singularity> module list
```

Currently Loaded Modules:

```
1) gmp/6.2.1-fasrc01    2) mpfr/4.1.0-fasrc01    3) mpc/1.2.1-fasrc01    4) gcc/12.1.0-fasrc01
5) matlab/R2022b-fasrc01
```

NVIDIA GPU CLOUD - Mozilla Firefox https://ngc.nvidia.com/catalog/all?orderBy=modifiedDESC&query=&quickFilter=all&filters=

Most Visited Linux Mint Community Forums Blog News Documentation Temp...

SIGN IN CREATE AN ACCOUNT TERMS OF USE

ACCELERATED SOFTWARE

ALL CONTENT TYPES CONTAINERS MODELS MODEL SCRIPTS HELM CHARTS

Publisher: All Search all content types Sort: Last Modified

|   |  |  |   |  |
|---|--|--|---|--|
|  Transfer Learning Toolkit<br>NVIDIA's Transfer Learning Toolkit is a python-based SDK that allows developers looking into faster implementation of industry specific Deep Learning solutions ...<br><b>v1.0.1.py2</b><br>built by NVIDIA 12/05/19 |  Clara-Train-SDK<br>NVIDIA Clara is a python based SDK. It includes the following components: Annotation Server for AI Assisted Annotation, Training framework ...<br><b>v2.0</b><br>built by NVIDIA 12/05/19             |  clara_mri_seg_brain_tu...<br>clara_mri_seg_brain_tumors_br16_t1c2tc_...<br>1 built by unknown 12/05/19   |  clara_mri_seg_brain_tu...<br>clara_mri_seg_brain_tumors_br16_t1c2tc_...<br>1 built by unknown 12/05/19  |  clara_mri_fed_learning_...<br>clara_mri_fed_learning_seg_brain_tumors...<br>1 built by unknown 12/05/19  |
|  clara_mri_fed_learning_...<br>clara_mri_fed_learning_seg_brain_tumors...<br>1 built by unknown 12/05/19   |  clara_ct_annotation_spl...<br>clara_ct_annotation_spleen_no_amp is a pre-trained model for volumetric (3D) annotation of the spleen from CT image.<br>1 built by unknown 12/05/19  |  clara_ct_annotation_spl...<br>clara_ct_annotation_spleen_amp is a pre-trained model for volumetric (3D) annotation of the spleen from CT image trained with Mixed Precision mode.<br>1 built by unknown 12/05/19 |  clara_mri_annotation_b...<br>clara_mri_annotation_brain_tumors_t1ce_...<br>1 built by unknown 12/05/19  |  clara_mri_annotation_b...<br>clara_mri_annotation_brain_tumors_t1ce_...<br>1 built by unknown 12/05/19   |
|  clara_xray_classification...<br>clara_xray_classification_chest_no_amp is a pre-trained densenet121 model for disease pattern detection in chest x-rays.<br>1 built by unknown 12/05/19   |  clara_xray_classification...<br>clara_xray_classification_chest_amp is a pre-trained densenet121 model for disease pattern detection in chest x-rays trained with Mixed Precision mode.<br>1 built by unknown 12/05/19 |  clara_mri_seg_brain_tu...<br>clara_mri_seg_brain_tumors_br16_full_no_...<br>1 built by unknown 12/05/19  |  clara_mri_seg_brain_tu...<br>clara_mri_seg_brain_tumors_br16_full_amp is a pre-trained model for volumetric (3D) segmentation of brain tumors from multimodal MRIs based on Brats 2018 data...<br>1 built by unknown 12/05/19 |  clara_ct_seg_liver_and...<br>clara_ct_seg_liver_and_tumor_no_amp is a pre-trained model for volumetric (3D) segmentation of the liver and lesion in portal venous phase CT Image.<br>1 built by unknown 12/05/19 |

Documentation User Forum Collapse NGC Version: 2.19.1